

**PUBLIKATIONEN:**

1. Otberg N, Tietz HJ, Henz BM, Haas N: Kerion due to Trichophyton mentagrophytes: Responsiveness to Fluconazole versus Terbinafine in a child. Acta Derm Venereol 2001; Vol. 81, No. 6, 444-445.
2. Lademann J, Otberg N, Richter H, Weigmann HJ, Lindemann U, Schaefer H, Sterry W: Investigation of Follicular Penetration of Topically Applied Substances. Skin Pharmacol Appl Skin Physiol 2001; 14(suppl 1): 17-22.
3. Lademann J, Otberg N, Richter H, Lindemann U, Schaefer H, Sterry W: Wie gelangen Substanzen in und durch unsere Haut? Die follikuläre Penetration als entscheidender Penetrationsweg. Humboldt Spektrum. 8. Jahrgang, Heft 3-4/2001; 32-35.
4. Lademann J, Otberg N, Richter H, Weigmann HJ, Lindemann U, Schaefer H, Sterry W: Penetration studies of topically applied substances by laser scanning microscopy Proc. 10<sup>th</sup> Annual Internat. Laser Physics Workshop, Moscow 2001, p 146.
5. Lademann J, Otberg N, Richter H, Lindemann U, Weigmann HJ, Schaefer H, Sterry W: Transfollicular absorption Proc. 10<sup>th</sup> Congress EADV, Munich 2001. Journal of the European Academy of Dermatology, v. 15 (3) 2001, 469 – 473.
6. Schaefer H, Lademann J, Otberg N, Richter H, Sterry W: Open versus closed follicles. Proc. PPP, Antibes 2002.
7. Lademann J, Richter H, Otberg N, Lawrenz F, Blume-Peytavi U, Sterry W: In vivo Laser Scanning Microscope in Dermatology Saratov 2002 SPIE Proc. Optical Technologies in Biophysics and Medicine IV, Vol. 5068, p 1 – 9.
8. Lademann J, Richter H, Otberg N, Lawrenz F, Blume-Peytavi U, Sterry W: Application of a dermatological laser Scanning confocal microscope for investigation in skin physiology. J. Laser Phys., 2003, Vol. 13, No. 5, 756 – 760.
9. Lademann J, Knüttel A, Richter H, Otberg N, v. Pelchrzim R, Audring H, Meffert H, Sterry W: Application of optical coherent tomography for skin diagnostics. J. Quant Electr, 2003, 14, No. 2, 265 – 69.
10. Otberg N, Richter H, Schaefer H, Blume-Peytavi U, Sterry W, Lademann J: Visualisation of topically applied fluorescent dyes in hair follicles by laser scanning microscopy. J. Laser Phys., 2003, Vol. 13, No. 5, 761– 764.
11. Lademann J, Otberg N, Richter H, Jacobi U, Schaefer H, Blume-Peytavi U, Sterry W: Follikuläre Penetration – Ein entscheidender Penetrationsweg von topisch applizierten Substanzen. Der Hautarzt, 2003, 54:321-323.
12. Lademann J, Richter H, Otberg N, Lawrenz F, Sterry W: Application of In-Vivo Laser Scanning Microscopy in Skin Physiology Skin Research and Technology, v. 9 (2), 2003, 194 – 195 Proc. of the ISBS & ISSI, Hamburg, Mai 2003, 29 – 31.
13. Lademann J, Otberg N, Richter H, Jacobi U, Schaefer H, Blume-Peytavi U, Sterry W: Follikuläre Penetration – Ein entscheidender Penetrationsweg von topisch applizierten Substanzen JDDG, V. 1, Suppl. 1, 2003, 50.

14. Otberg N, Blume-Peytavi U: Woolly Hair Syndrome. Orphanet Encyclopedia. December 2003. <http://www.orpha.net/data/patho/GB/uk-woollyhair.pdf>.
15. Otberg N, Richter H, Knüttel A, Schaefer H, Sterry W, Lademann J: Laser Spectroscopic Methods for the Characterization of Open and Closed Follicles. Laser Physic Letters, 2004, No. 1, 46-49.
16. Lademann J, Jacobi U, Richter H, Otberg N, Weigmann H-J, Meffert H, Schaefer H, Blume-Peytavi U, Sterry W: In Vivo Determination of UV-Photons Entering into Human Skin. J. Laser Phys., 2004, Vol. 14, No. 2, 234-237.
17. Otberg N, Richter H, Schaefer H, Blume-Peytavi U, Sterry W, Lademann J: Variations of Hair Follicle Size and Distribution in Different Body sites. J Invest Dermatol, 2004, 122, 14-19.
18. Lademann J, Richter H, Otberg N, Jacobi U, Lawrenz F, Sterry W: Application of in vivo laser scanning microscopy in studies of skin physiology PPP, Vol. 9a, STS Publishing Cardiff 2004, 75.
19. Otberg N, Richter H, Jacobi U, Blume-Peytavi U, Schaefer H, W. Sterry, J. Lademann In vivo method to assess active and inactive hair follicles JDDG, 2 (6), 2004, 501.
20. Ossadnik M, Koch S, Otberg N, Richter H, Jacobi U, Sterry W, Lademann J: Determination of the amount of topically applied substances penetrated into the orifices of hair follicles JDDG, 2 (6), 2004, 502.
21. Otberg N, Richter H, Jacobi U, Blume-Peytavi U, Schaefer H, Sterry W, Lademann J: The vellus hair follicle: a reservoir for topically applied substances JDDG, 2 (6), 2004, 502.
22. Lademann J, Otberg N, Richter H, Jacobi U, Blume-Peytavi U, Schaefer, Sterry W: Application of laser scanning microscopy for penetration studies of topically applied substances JDDG, 2 (6), 2004, 518.
23. Lademann J, Otberg N, Richter H, Jacobi U, Blume-Peytavi U, Schaefer H, Sterry W: Penetration of titanium dioxide microparticles into follicular orifice JDDG, 2 (6), 2004, 518.
24. Lademann J, Meyer L, Otberg N, Richter H, Sterry W: New insights into the skin - Application of a dermatological laser scanning microscope in skin physiology. Skin Research and Technology 2004, Vol. 10, No. 4, 8.
25. Jacobi U, Kaiser M, Otberg N, Koscielny J, Schütz R, Meinke M, Sterry W, Lademann J: Comparison of Blood Flow, Cutaneous Surface Temperature and Redness on Different Anatomic Sites - Increase in Biological Reactions by Topically Applied Benzyl Nicotinate. Journal of Vascular Research, 2004, 41, 461.
26. Erdmenger U, Jacobi U, Otberg N, Koscielny J, Schütz R, Meinke M, Sterry W, Lademann J: Follicular Penetration of Topically Applied Nicotinate - Effect on the Blood Flow. Journal of Vascular Research, 2004, 41, 461.

27. Lademann J, Schaefer H, Otberg N, Teichmann A, Blume-Peytavi U, Sterry W: Penetration von Mikropartikeln in die menschliche Haut. *Der Hautarzt*, Band 55, Heft 12, 2004, 1117 – 19.
28. Otberg N, Richter H, Schaefer H, Blume-Peytavi U, Sterry W, Lademann J: Morphologie und Verteilung von Haarfollikeln im menschlichen Körper. *Aktuelle Dermatologie*, 2004, 30: 573 – 578.
29. Lademann J, Knüttel A, Richter H, Otberg N, v. Pelchrzim R, Audring H, Meffert H, Sterry W, Hoffmann K: Application of Optical Coherent Tomography for Skin Diagnostics. *Laser Physics*, Vol. 15, No. 2, 2005, 1 – 7.
30. Meyer L, Otberg N, Tietz HJ, Sterry W, Lademann J: In vivo imaging of Malassezia yeasts on human skin using confocal laser scanning microscopy *Laser Phys. Lett.* 2005 No.3, 148-152.
31. Lademann J, Otberg N, Jacobi U, Hoffman RM, Blume-Peytavi U. Follicular penetration and targeting. *J Invest Dermatol Symp Proc.* 2005 Dec;10(3):301-3.
32. Lademann J, Richter H, Schaefer UF, Blume-Peytavi U, Teichmann A, Otberg N, Sterry W. Hair Follicles - A Long-Term Reservoir for Drug Delivery. *Skin Pharmacol Physiol.* 2006 May 4;19(4):232-236.
33. Teichmann A, Otberg N, Jacobi U, Sterry W, Lademann J. Follicular Penetration: Development of a Method to Block the Follicles Selectively against the Penetration of Topically Applied Substances. *Skin Pharmacol Physiol.* 2006 May 4;19(4):216-223.
34. Mangelsdorf S, Otberg N, Maibach HI, Sinkgraven R, Sterry W, Lademann J. Ethnic Variation in Vellus Hair Follicle Size and Distribution. *Skin Pharmacol Physiol.* 2006 May 4;19(3):159-167.
35. Jung S, Otberg N, Thiede G, Richter H, Sterry W, Panzner S, Lademann J. Innovative Liposomes as a Transfollicular Drug Delivery System: Penetration into Porcine Hair Follicles. *J Invest Dermatol.* 2006 Aug;126(8):1728-32.
36. Meyer LE, Otberg N, Sterry W, Lademann J. In vivo confocal scanning laser microscopy: comparison of the reflectance and fluorescence mode by imaging human skin. *J Biomed Opt.* 2006 Jul-Aug;11(4):044012.
37. Lademann J, Otberg N, Richter H, Meyer L, Audring H, Teichmann A, Thomas S, Knüttel A, Sterry W. Application of optical non-invasive methods in skin physiology: a comparison of laser scanning microscopy and optical coherent tomography with histological analysis. *Skin Res Technol.* 2007 May;13(2):119-32.
38. Jacobi U, Kaiser M, Toll R, Mangelsdorf S, Audring H, Otberg N, Sterry W, Lademann J. Porcine ear skin: an in vitro model for human skin. *Skin Res Technol.* 2007 Feb;13(1):19-24.
39. Otberg N, Teichmann A, Rasuljev U, Sinkgraven R, Sterry W, Lademann J. Follicular Penetration of Topically Applied Caffeine via a Shampoo Formulation. *Skin Pharmacol Physiol.* 2007 Mar 29;20(4):195-198

40. Lademann J, Richter H, Teichmann A, Otberg N, Blume-Peytavi U, Luengo J, Weiss B, Schaefer UF, Lehr CM, Wepf R, Sterry W. Nanoparticles - An efficient carrier for drug delivery into the hair follicles. Eur J Pharm Biopharm. 2007 May;66(2):159-164.
41. Otberg N, Finner AM, Shapiro J. Androgenetic Alopecia. Endocrinol Metab Clin North Am. 2007 Jun;36(2):379-98.
42. Otberg N, Patzelt A, Rasulev U, Hagemeister T, Linscheid M, Sinkgraven R, Sterry W, Lademann J. The role of hair follicles in the percutaneous absorption of caffeine, 2007 Br J Clin Pharmacol, 65(4):488-492.
43. Otberg N, Wu WY, Shapiro J. Cicatricial Alopecia - part I. SKINmed. 2008 Jan;7(1)19-26.
44. Wu WY, Otberg N, Shapiro J. Cicatricial Alopecia - part II, 2008 SKINmed, in print
45. Otberg N, Grone D, Meyer L, Schanzer S, Hoffmann G, Ackermann H, Sterry W, Lademann J. Water-filtered infrared-A (wIRA) can act as a penetration enhancer for topically applied substances. Wassergefiltertes Infrarot A (wIRA) kann als Penetrationsverstärker für topisch aufgetragene Substanzen wirken. GMS Ger Med Sci. 2008; 6:Doc08. Online verfügbar unter: <http://www.egms.de/en/gms/2008-6/000053.shtml> (shtml) und <http://www.egms.de/pdf/gms/2008-6/000053.pdf> (PDF).
46. Otberg N, Kang H, Alzolibani A, Shapiro J. Folliculitis decalvans, Dermatologic Therapy. 2008 21(4):238-244.
47. Kang H, Alzolibani A, Otberg N, Shapiro J. Lichen planopilaris, Dermatologic Therapy. 2008 21(4):249-256
48. Alzolibani A, Kang H, Otberg N, Shapiro J. Pseudopelade of Brocq, Dermatologic Therapy. 2008 21(4):257-263
49. Finner AM, Otberg N, Shapiro J. Secondary cicatricial and other permanent alopecias, Dermatologic Therapy. 2008 21(4): 279-94
50. Calderon P, Otberg N, Shapiro J. Uncombable hair syndrome. JAAD. 2009 in print